



ಕರ್ನಾಟಕ ಪ್ರೌಢ ಶಿಕ್ಷಣ ಪರೀಕ್ಷಾ ಮಂಡಳಿ, ಮಲ್ಲೇಶ್ವರಂ, ಬೆಂಗಳೂರು – 560 003

KARNATAKA SECONDARY EDUCATION EXAMINATION BOARD, MALLESHWARAM, BANGALORE - 560 003

ಎಸ್.ಎಸ್.ಎಲ್.ಸಿ. ಪರೀಕ್ಸೆ, ಮಾರ್ಚ್ / ಏಪ್ರಿಲ್ – 2022

S. S. L. C. EXAMINATION, MARCH/APRIL, 2022

ಮಾದರಿ ಉತ್ತರಗಳು

MODEL ANSWERS

ದಿನಾಂಕ : 11. 04. 2022]

Date : 11. 04. 2022]

ಸಂಕೇತ ಸಂಖ್ಯೆ : 83-E (Phy)

CODE NO. : 83-E (Phy)

ವಿಷಯ : ವಿಜ್ಞಾನ

Subject : SCIENCE

(ಭೌತ ವಿಜ್ಞಾನ, ರಸಾಯನ ವಿಜ್ಞಾನ ಮತ್ತು ಜೀವ ವಿಜ್ಞಾನ / Physics, Chemistry & Biology)

(ಶಾಲಾ ಅಭ್ಯರ್ಥಿ & ಪುನರಾವರ್ತಿತ ಶಾಲಾ ಅಭ್ಯರ್ಥಿ / Regular Fresh & Regular Repeater) (ಭೌತಶಾಸ್ತ್ರ / Physics)

(ಇಂಗ್ಲಿಷ್ ಮಾಧ್ಯಮ / English Medium)

[ಗರಿಷ್ಠ ಅಂಕಗಳು : 80

[Max. Marks : 80

Qn. Nos.	Value Points			Total
		PART - A		
		(PHYSICS)		
I.	Multiple Choice :		4 × 1 = 4	
1.	The device used to produce electricity is			
	(A) Galvanometer	(B) Electric genera	tor	
	(C) Ammeter	(D) Electric motor.		
	Ans. :			
	(B) Electric generat	or		1
	RF/RR (A)-(200)-9046 (MA)-PHY [Tur			rn over

Qn. Nos.	Value Points	Total	
2.	The correct formula that shows the relationship between potential		
	difference, electric current and resistance in an electric circuit is		
	(A) $I = \frac{R}{V}$ (B) $I = VR$		
	(C) $V = \frac{I}{R}$ (D) $R = \frac{V}{I}$.		
	Ans. :		
	(D) $R = \frac{V}{I}$	1	
3.	In Fleming's right hand rule, the middle finger indicates the direction of		
	(A) induced electric current (B) magnetic field		
	(C) motion of the conductor (D) mechanical force.		
	Ans. :		
	(A) induced electric current	1	
4.	To get diminished and real image of an object from a convex lens, the object		
	should be placed		
	(A) at principal focus F_1		
	(B) between principal focus F_1 and $2F_1$		
	(C) beyond $2F_1$		
	(D) between principal focus F_1 and optical centre O.		
	Ans. :		
	(C) beyond $2F_1$	1	
II.	Answer the following questions : $2 \times 1 = 2$		
5.	Magnetic field lines do not intersect each other. Why ?		
	Ans. :		
	At the point of intersection the compass needle would point towards two directions which is not possible.	1	

RF/RR (A)-(200)-9046 (MA)-PHY

CCE I	CCE RF & RR 3 83-F		E (PHY)
Qn. Nos.		Value Points	Total
6.	Mention	the SI unit of power of lens.	
	Ans. :		
	dioptre		1
III.	Answer	the following questions : $2 \times 2 = 4$	
7.	Draw th electric 1	e schematic diagram of an electric circuit comprising of electric cell, oulb, ammeter and plug key.	
	Ans. :		
		Simple electric circduit	
		$I \qquad \qquad$	2
8.	An objec cm. At v obtain a	et is placed at 25 cm in front of a concave mirror of focal length 15 what distance from the mirror should a screen be placed in order to sharp image ?	
	ostani u	OR	
	A concav from the	ve lens has focal length of 15 cm. At what distance should the object lens be placed so that it forms an image at 10 cm from the lens ?	
	$\frac{1}{v} + \frac{1}{u} =$	$\frac{1}{f}$ $\frac{1}{2}$	
	$\frac{1}{v} = \frac{1}{f}$	$-\frac{1}{u} = \frac{1}{-15} - \frac{1}{-25} \qquad \qquad \qquad \frac{1}{2}$	
	$\frac{1}{v} = \frac{-5}{2}$	$\frac{5+3}{75} = \frac{-2}{75}$ $\frac{1}{2}$	
	$v = \frac{75}{-2}$	$h = -37.5 \text{ cm}$ $\frac{1}{2}$	

RF/RR (A)-(200)-9046 (MA)-PHY

[Turn over

Qn. Nos.	Value Points		Total
	The screen should be placed at a distance of 37.5 cm, in front of the concave		
	mirror.		
	OR		
	$\frac{1}{v} - \frac{1}{u} = \frac{1}{f}$	$\frac{1}{2}$	
	$\frac{1}{u} = \frac{1}{v} - \frac{1}{f} = \frac{1}{-10} - \frac{1}{-15}$	$\frac{1}{2}$	
	$\frac{1}{u} = \frac{-3+2}{30} = \frac{-1}{30}$	$\frac{1}{2}$	
	u = -30 cm	$\frac{1}{2}$	
	The object is placed at a distance of 30 cm from the concave lens.		2
IV.	Answer the following questions : 3	× 3 = 9	
9.	Which is the major component of biogas ? Write four character	ristics of a	
	good source of energy.		
	OR		
	Which element is used in making solar cell ? Write any four adv	vantages of	
	solar cells.		
	Ans. :		
	* Methane / CH_4	1	
	Characteristics of a good source of energy :		
	\star Which has do a large amount of work per unit volume or mass	s $\frac{1}{2}$	
	\star Must be easily accessible / available	$\frac{1}{2}$	
	\star Must be easy to store and transport	$\frac{1}{2}$	
	\star Must be economical.		
	(Any other suitable answer)	$\frac{1}{2}$	3
	OR		
	RF/RR (A)-(200)-9046 (MA)-PHY		

CCE	RF &	۶RR ک
-----	------	-------

83-E (PHY)



	Va	lue Points		Total
W	That are the functions of an ear	rth wire ? It is necessary to con:	nect the	
e	lectric appliances having metalli	c body to earth wire in domestic	electric	
C	rcuit. Why ? Explain.			
		OR		
E	xplain Faraday's experiment rela	ted to electromagnetic induction.	Mention	
tl	ne difference between direct and a	alternate current.		
Α	ns. :			
F	unctions of the earth wire :			
*	This is used as a safety measure	sure for appliances have metallic	body in	
	domestic circuit			
*	This provides a low resistance	conducting path for the current		
*	Any leakage of current in the appliances keeps its potential to that of			
	the earth and the user may not get a severe electric shock.			
		1 + 1	. + 1	3
		OR		
*	Take a coil of copper wire har ends of the coil to a galvanome	ving a large number of turns con eter	nect the $\frac{1}{2}$	
*	Take a strong magnet and more	ve its one pole into the coil	$\frac{1}{2}$	
*	There is a deflection in the n the presence of a current in th	needle of the galvanometer. This i ne coil	ndicates $\frac{1}{2}$	
*	Likewise, when the magnet is	s withdrawn back then also the r	needle of	
	galvanometer deflects and this	s indicates the presence of electric	current. $\frac{1}{2}$	
	★ Direct Current	Alternating current		
	Direct current flows in one direction	Periodically alternating current reverse its direction	1	3

6

RF/RR (A)-(200)-9046 (MA)-PHY

Qn. Nos.		Value Points Tot	tal
V.	An	wer the following question : $1 \times 4 = 4$	
12.		a) What are the advantages of connecting electrical devices in parallel in an electric circuit instead of connecting them in series ?	
		b) How are ammeter and voltmeter connected in an electric circuit ?What are their function ?	
	An	.:	
	a)	Advantages of connecting electrical devices in parallel are :	
		\star The parallel circuit divides current through the electrical gadgets.	
		\star When one component fails, the circuit does not fail	
		\star The total resistance in parallel circuit decreases, so that	
		\star Electrical gadgets get current as per their resistance required.	
		(Any <i>two</i>) 1 + 1	
	b)	* In an electrical circuit ammeter is connected in series $\frac{1}{2}$	
		* In an electrical circuit voltmeter is connected in parallel $\frac{1}{2}$	
		* Ammeter measures the rate of electric current in a circuit $\frac{1}{2}$	
		* Voltmeter measures the potential difference across the ends of a conductor $\frac{1}{2}$ 4	÷
VI.	An	wer the following question : $1 \times 5 = 5$	
13.	a)	What is refraction of light ? State two laws of refraction of light.	
	b)	What is refractive index of light ? "The refractive index of diamond is	
		2.42." What is the meaning of this statement ?	

7

RF/RR (A)-(200)-9046 (MA)-PHY

[Turn over

Qn. Nos.			Value Points	Total
	An	s. :		
	a)	*	Light travelling obliquely from one medium to another, the direction	
			of propagation of light in the second medium changes	
		*	The incident ray, the refracted ray and the normal to the interface of	
			two transparent media at the point of incidence all lie in the same	
			plane	
		*	The ratio of sine of angle of incidence to the sine of angle of	
			refraction is constant, for the light of given colour and for the given pair of media / $\frac{\sin i}{\sin r}$ = constant 1 + 1 + 1 = 3	
	b)	The	ratio of speed of light in air and the speed of light in medium.	
		The	ratio of speed of light in air and the speed of light in diamond	
		is 2	42. 1 + 1 = 2	5

RF/RR (A)-(200)-9046 (MA)-PHY